

Fig. 1





Fig. 2

Case	Age	Sex	Occupation	Duration of Illness	Site of Lesion	Microscopic Findings	Diagnosis
1	45	M	Farmer	10 years	Right lower lobe	Granulomatous inflammation with caseation	Tuberculosis
2	35	F	Teacher	5 years	Left upper lobe	Granulomatous inflammation with caseation	Tuberculosis
3	55	M	Engineer	15 years	Right upper lobe	Granulomatous inflammation with caseation	Tuberculosis
4	65	F	Homemaker	20 years	Left lower lobe	Granulomatous inflammation with caseation	Tuberculosis
5	40	M	Student	3 years	Right middle lobe	Granulomatous inflammation with caseation	Tuberculosis
6	50	F	Businesswoman	12 years	Left middle lobe	Granulomatous inflammation with caseation	Tuberculosis
7	30	M	Student	2 years	Right lower lobe	Granulomatous inflammation with caseation	Tuberculosis
8	60	F	Homemaker	18 years	Left upper lobe	Granulomatous inflammation with caseation	Tuberculosis
9	45	M	Farmer	10 years	Right upper lobe	Granulomatous inflammation with caseation	Tuberculosis
10	55	F	Teacher	15 years	Left lower lobe	Granulomatous inflammation with caseation	Tuberculosis

3/9




Fig. 3

4/9






Fig. 4

5/9



6/9




Fig. 6





Fig. 7

800

Fig. 8






Fig. 9